Message: 6412350

From: Barbara Van Geyzel <barbara@lqm.com>

To: <ioannis.zilakos@eletson.com>

Date: Tue, 11 Nov 2014 13:58:52 (UTC +02:00)

Subject: Re: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384> OLDMSG#:<1547919> ** MSG#:<1548158>

Chemoil - no Isfo; also not possible in Miami

_ _

Best regards.

Barbara van Geyzel LQM Petroleum Services, Inc. (as brokers only)

tel: 201-871-9010

Mobile : 201-207-0556 Yahoo IM - barbaralqm http://www.lqm.com

Email privacy policy: http://www.lqm.com/site/privacy.asp

From: Operations - Eletson HQ <oannis.zilakos@eletson.com>

Organization: Operations - Eletson HQ
Reply-To: <ioannis.zilakos@eletson.com>
Date: Tuesday, November 11, 2014 4:35 AM

To: <ioannis.zilakos@eletson.com>, Barbara Van Geyzel

darbara@igm.com>, <operations@eletson.com>

Subject: RE: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384> OLDMSG#:<1547919> ** MSG#:<1548158>

Message Number: 1548158

From: loannis zilakos@eletson.com

To: Zilakos Ioannis (inz)//ELETSON CORPORATION (ioannis zilakos@eletson.com), barbara@iqm.com, operations@eletson.com

Sent: Tuesday, Nov 11, 2014 11:35 (UTC +02:00)

Subject: RE: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384> ** MSG#:<1547919>

Barbara hi

For sake of good order can you pls revert on the below re avails at Fisher Island

Thanks

Yiannis

Original Message

Message: 6410816

From: Operations - Eletson HQ < cannis zilakos@eletson.com>

To: <barbara@lgm.com>, <operations@eletson.com>

Date: Mon, 10 Nov 2014 21:37:22 (UTC +02:00)

Subject: RE: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384> ** MSG#:<1547919>

_Original Message_____

Message Number: 1547919

From: Ioannis zilakos@elesson.com

To: barbara@igm_com,operations@eletson.com

Subject: RE: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384>

Sent: Monday, Nov 10, 2014 21:36 (UTC +02:00)

Thanks Her next port will be Fisher Island Avails there? Thank you Sent from my Samsung Galaxy smartphone. ----- Original message ------From: Barbara Van Geyzel barbara@lqm.com Date:10/11/2014 19:11 (GMT+02:00) To: Operations Department comp Subject: BB-FW: Inquiry: kandilousa - Port Everglades - 11Nov14<6410602><8003384> In case u need FONAR; reply is below Best regards. Barbara van Geyzel LQM Petroleum Services, Inc. (as brokers only) tel: 201-871-9010 Mobile: 201-207-0556 Yahoo IM - barbaralqm http://www.lgm.com Email privacy policy: http://www.lgm.com/site/privacy.asp ----Original Message----From: Janmarie Johnston Janmarie Johnston@chemoil.com Date: Monday, November 10, 2014 12:06 PM To: Barbara Van Geyzel <barbara@lqm.com> Subject: RE: Inquiry: kandilousa - Port Everglades - 11Nov14 >Hi Barb, we do not have 1% at this time. I will be unable to offer. >----Original Message---->From: Barbara van Geyzel [mailto:barbara@lgm.com] >Sent: Monday, November 10, 2014 11:39 AM >To: barbara@lqm.com >Subject: Inquiry: kandilousa - Port Everglades - 11Nov14 >LQM Petroleum Services, Inc. **Bunker Inquiry** >Please kindly offer for the following and UNLESS YOU SPECIFY OTHERWISE, >WE ACCEPT THE FACT THAT YOU ARE OFFERING THE ISO SPECIFICATIONS AS PER >THE BELOW INQUIRY. > >Vessel : kandilousa (IMO: 9081813) >Account : Eletson Corporation

```
118 KOLOKOTRONI STREET
>
        PIRAEUS 18535 GREECE
>
        INVOICING INSTRUCTIONS:
        Please send via email to operations@eletson.com with
>copies to acctg@lgm.com to process payment
>Port
        : Port Everglades, USA
>Delivery Date: ETA 11 November 2014
>Quantity : RMG380 (2010) with max sulphur 1.00%: 359450 mt ( if
>expipe); if by truck can manage with 50- 100 mts
>Fuel Specs : Within ISO 8217 2010 RMG380 with max sulphur 1.00%
        As per the requirements of SOLAS regulation VI/51, a
>
>material safety data
        sheet (MSDS) for each type of product loaded must be handed
>
>over to the master
        of the receiving vesselupon delivery. This MSDS must
>comply with Annex 1 and
         Annex 2 of this regulation (Effective 1st July 2009).
        : K3 Maritime Agency Inc. tel: 1 732 400 7900
>Agent
>Notes & Clauses:
>==========
>:::Buyer Clause(s):::
>WHEN QUOTING, PLEASE PROVIDE FOLLOWING WARRANTED INFORMATION:
>1,-CONTRACTING SELLER.
>2.-PHYSICAL SUPPLIER.
>3.-PUMPING RATE.
>4.-COMPATIBILITY AND OR STABILITY, (SEE NOTE 1 BELOW).
> (PLEASE DO NOT QUOTE IF COMPATIBILITY INDEX > 1).
>5.-FLASH POINT, (PLEASE DO NOT QUOTE IF IT IS LESS THAN 60 DEG C).
>6.-ENERGY VALUE.
>7.-PAYMENT TERMS, (SEE NOTES 2 AND 3 BELOW).
>8.-CREDIT TERMS.
>9.-SELLER TERMS & CONDITIONS
>10. - FOR MGO/MDO INQUIRIES KINDLY REVERT WITH LUBRICITY FIGURES
>QUALITY:
>-----
>THE PRODUCTS TO BE DELIVERED, WILL MEET ISO 8217:2010(E) INTERNATIONAL
>STANDARDS.
>A. FOR RMG 380 CST: MAX. VISC. AT 50 C 380 mm2/s.
>B. FOR DMA (Gasoil): DMA.
>
>ALSO:
>A. FOR HIGH SULPHUR RMG 380 CST: MAX. SULPHUR 4,5 % m/m B. FOR LOW
>SULPHUR DMA (Gasoil): MAX. SULPHUR 0,1 % m/m C. FOR LOW SULPHUR DMA
>(Gasoil): MAX. LUBRICITY 520mm
>2.- FURTHERMORE AND IN ADDITION TO THE REQUIREMENTS OF PARAGRAPH 1 ABOVE,
>THE SELLER WARRANTS
> THAT BUNKERS TO BE DELIVERED UNDER THIS STEM, WILL NOT CONTAIN ANY
>WHATSOEVER WASTE
> LUBRICANT OILS, CHEMICAL WASTE OR ANY OTHER SUBSTANCES, INCLUDING BUT
>NOT LIMITED TO
> POLYPROPYLENE AND STRONG ACID NUMBER (SAN).
>3.- MOREOVER, THE SELLER WARRANTS THAT, IN ADDITION TO THE REQUIREMENTS OF
>THE PARAGRAPH 1 AND 2
> ABOVE, THE BUNKERS TO BE DELIVERED UNDER THIS STEM WILL NOT CONTAIN
>ANY TOTAL ACID NUMBER
> (TAN) IN EXCESS OF 1 mg KOH/g
```

>4.- THE SELLER WARRANTS THAT, THE FOLLOWING ELEMENTS SHALL NOT EXCEED THE

```
>LIMITS SET OUT IN THE
> BELOW TABLE.
                         GRADES
>
    ELEMENT Unit Limit
                             DMA DMB RME 180 RMG 380
>
>
            mg/kg Max.
                            0 0
                                   15
                                           15
                                  0
>
   PHOSSPHORUS mg/kg Max.
                                     0
                                           15
                                                 15
                               0 0 30
                                              30
   CALCIUM mg/kg Max.
   SODIUM (Na) % OF
   VANADIUM CONTENT Max.
                                  0 0
                                           30
                                                 30
>5.- IGNITION QUALITY SHALL BE DETERMINED BY CCAI AND LIMITED MAX 860.
>6.- IN CASE OF MGO LUBRICITY FIGURE 460-520 mm MAX
>SAMPLING:
>IN CASE THAT THE DELIVERY BARGE OR SHORE MANIFOLD (FOR EX-PIPE SUPPLIES)
>DOES NOT PROVIDE A DRIP SAMPLER FOR CONTINUOUS DRIP SAMPLING THE
>FOLLOWING PROCEDURE WILL APPLY.
>HOWEVER IF NOT ACCEPTABLE TO SUPPLIERS/SELLERS, THEN PLEASE DO NOT QUOTE.
>1.-VESSEL IS EQUIPPED WITH A DRIP LINE SAMPLER, FITTED ON THE SHIPS
> MANIFORLD, AS PER ISO 8217/2005 SPECIFICATION, CUSTODY TRANSFER
> SAMPLING POINT.
>2.-VESSEL IS A MEMBER OF FOBAS FUEL MANAGEMENT SERVICES.
> A) TO CONFIRM THE QUALITY AND QUANTITY OF FUEL DELIVERED TO
   THE VESSEL, FOUR BUNKERING DELIVERY SAMPLES WILL BE TAKEN, AT SHIPS
   MANIFOLD, USING THE DRIP LINE SAMPLER.
> B) PHYSICAL SUPPLIER IS TO BE INVITED TO PARTICIPATE IN SAMPLING
   OPERATION.
> C) REGARDLESS OF WHETHER THE PHYSICAL SUPPLIER WITNESSES THE SAMPLING,
   SAMPLES TAKEN TO BE CONSIDERED REPRESENTATIVE AND BINDING.
>3.-THREE SAMPLES TO BE RETAINED BY SHIP AND THE FOURTH TO BE GIVEN TO
> THE SUPPLIERS.
>4.-THE ONE SHIP SAMPLE TO BE SENT FOR ANALYSIS, FINAL QUANTITY TO BE
> CALCULATED USING DENSITY OBTAINED FROM TEST RESULTS AND AFTER HAVING
> DEDUCTED WATER FOUND (IF IN EXCESS OF 0,5% VOLUME). TEST RESULTS TO BE
> BINDING TO BOTH PARTIES.
>5.- CHIEF ENGINEER HAS BEEN AUTHORIZED TO SIGN DELIVERY RECEIPTS FOR
> VOLUME ONLY, QUALITY AND QUANTITY SUBJECT TO ANALYSIS.
>SAMPLING AS PER ANNEX VI:
>1.AT EACH BUNKERING OPERATION (FOR IFO AND/OR MDO/MGO) A DRIP SAMPLE SHALL
> BE COLLECTED (AS PER ANNEX VI REGULATIONS) ,SEALED AND SIGNED BY
>SUPPLIERS & C/E.
>2.THE SAMPLE SHALL BE LABELED WITH THE INFO STATED IN APPENDIX 5, ITEM 8
>AND WILL
> BE RETAINED ONBOARD.
>DOCUMENTATION AS PER MARPOL ANNEX VI:
> BUNKER DELIVERY NOTE (BDN)
>THE BDN SHALL CONTAIN AT LEAST THE FOLLOWING INFORMATION:
>*NAME AND IMO NUMBER OF RECEIVING SHIP
>*PORT AND DATE OF BUNKERING
>*FULL STYLE OF BUNKERS SUPPLIERS
>*PRODUCT(S) NAME AND QUANTITY DELIVERED
>*DENSITY@15 DEG C
>*SULPHUR CONTENT
>NOTES:
>1,-COMPATIBILITY AND OR STABILITY IS DEFINED AS THE SUITABILITY OF
```

- > PRODUCT TO BE COMMINGLED INTO SHIPS BUNKER TANKS AND TO BE FREE OF
- > ANY TENDENCY TO PRODUCE SOLID SLUDGE OR LIGHT VISCOUS DEPOSITS
- > THROUGH PRECIPITATION OR OTHERWISE.
- >2.-DOCUMENTS: PAYMENT WILL BE EFFECTED AGAINST ORIGINAL INVOICE AND
- > CLEAN DELIVERY RECEIPT SIGNED BY THE CHIEF ENGINEER, COUNTERIGNED AND
- > STAMPED BY MASTER.
- >3.- CHARGES NOT MENTIONED AND/OR SPECIFIED ARE TO BE ABSORBED BY THE
- > SELLER.
- >4.- IF BUNKERS ARE TO BE SUPPLIED EX BARGE, NOT MORE THAN ONE BARGE
- > IS TO BE USED FOR EACH GRADE AND THE SUPPLIERS TO USE BEST ENDEAVORS
- > TO ENSURE THE PUMPING RATE IS NOT LESS THAN 300 MTPH.
- >5.- SUPPLIER TO WARRANT FULL COMPLIANCE WITH OPA-90 REQUIREMENTS.
- >6.- IN CASE VESSEL IS NOT ABLE TO RECEIVE BUNKERS IN THE DATES
- > MENTIONED ABOVE FOR REASONS BEYOND SHIPS CONTROL DUE TO
- > BAD WEATHER CONDITIONS, STEM WILL TO BE CONSIDERED MUTUALLY >CANCELLED,
- > WITHOUT ANY CANCELLATION CHARGES TO ANY PARTY.
- >7.- COMPANYS BOE NUMBER IS: SJ OH 98-401161 (FOR CALIFORNIA TAX EXEMPTION)

>

>BUYERS OPTION TO USE A BUNKER QUANTITY SURVEYOR, IN WHICH CASE ALL >INTERESTED PARTIES WILL BE SO INFORMED.

>Thanks and Best Regards

>Barbara van Geyzel

>LQM Petroleum Services, Inc.

>as brokers only

>

>email: barbara@igm.com >tel: +1201-871-9010 >IM: BarbaraLQM >cell: +1201-207-0556

>

>Email privacy policy: http://www.lgm.com/site/privacy.asp

>

>Follow us on twitter - http://twitter.com/bunkervision

>

>LEGAL DISCLAIMER. The contents of this electronic communication and any >attached documents are strictly confidential and they may not be used or >disclosed by someone who is not a named recipient. If you have received >this electronic communication in error please notify the sender by >replying to this electronic communication inserting the word >"misdirected" as the subject and delete this communication from your >system.